

包裝異動公告-愛多尼爾腹膜透析液（圖一）；

PD-2 含 2.5%葡萄糖腹膜透析液；PD-2 含 1.5%葡萄糖腹膜透析液；PD-2 含 4.25%葡萄糖腹膜透析液（圖二）

含 1.5%葡萄糖低鈣(2.5mEq/L)腹膜透析液；含 4.25%葡萄糖低鈣(2.5mEq/L)腹膜透析液；含 2.5%葡萄糖低鈣(2.5mEq/L)腹膜透析液（圖三）

舊包裝標籤圖示

圖一

ยาเส้นอาญ
2000 mL
(APPROX 80 mL EXCESS)

FNB4974
Baxter

EXTRANEAL Peritoneal Dialysis Solution with 7.5% Icodextrin
EACH 100 mL CONTAINS
7.5 g ICODEXTRIN 538 mg SODIUM CHLORIDE USP 448 mg SODIUM LACTATE
25.7 mg CALCIUM CHLORIDE USP 5.08 mg MAGNESIUM CHLORIDE USP pH 5.2 (5.0 TO 6.0)
mmol/L SODIUM 132 CALCIUM 1.75 MAGNESIUM 0.25 CHLORIDE 96 LACTATE 40
OSMOLARITY 284 mOsmol/L (CALC)
STERILE NONPYROGENIC STORE BELOW 30°C SEE INSERT
FOR INTRAPERITONEAL ADMINISTRATION ONLY NOT FOR INTRAVENOUS USE
CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY
BAXTER HEALTHCARE SA, SINGAPORE BRANCH
1 WOODLANDS INDUSTRIAL PARK 2 STREET 12 SINGAPORE 737778
(AN AFFILIATE OF BAXTER HEALTHCARE CORPORATION USA)
DIRECTION TO BE USED AS DIRECTED BY PHYSICIAN
FOR HONG KONG ONLY: PRESCRIPTION DRUG 處方藥物
IMPORTED BY BAXTER HEALTHCARE (THAILAND) CO., LTD. BANGKOK
FOR MALAYSIA ONLY: CONTROLLED MEDICINE JAUH DARIPADA KANAK-KANAK
PRODUCT REGISTRATION HOLDER:
BAXTER HEALTHCARE (MALAYSIA) SDN. BHD.
B-21-3A, THE ASCENT PARADIGM, 1, JLN SS7/26A, 47301 PUSLANGOR, MALAYSIA.

AMBU-FLEX CONTAINER PL-146
SIN11220P MAL06021264AZ
HK-46627 BRU13021011P
THAI REG. NO. 2C 16/51 (N)
請儲存於攝氏 30 度以下
用法：請依照醫生指示使用

"百特" 愛多尼爾腹膜透析液

寄售藥字第 023687 號 本藥限由醫師使用 批號及保存期限詳如包裝所示
請詳閱說明書 百特醫療產品股份有限公司 台北市敦化南路 2 段 95 號 28 樓
EXTRANEAL, AMBU-FLEX and PL-146 are trademarks of Baxter International Inc.

新包裝標籤圖示

圖一

ยาเส้นอาญ
2000 mL
(APPROX 80 mL EXCESS)

FNB4974
Vantive

EXTRANEAL Peritoneal Dialysis Solution with 7.5% Icodextrin
EACH 100 mL CONTAINS
7.5 g ICODEXTRIN 538 mg SODIUM CHLORIDE USP 448 mg SODIUM LACTATE
25.7 mg CALCIUM CHLORIDE USP 5.08 mg MAGNESIUM CHLORIDE USP pH 5.2 (5.0 TO 6.0)
mmol/L SODIUM 132 CALCIUM 1.75 MAGNESIUM 0.25 CHLORIDE 96 LACTATE 40
OSMOLARITY 284 mOsmol/L (CALC)
STERILE NONPYROGENIC STORE BELOW 30°C SEE INSERT
FOR INTRAPERITONEAL ADMINISTRATION ONLY NOT FOR INTRAVENOUS USE
CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY
VANTIVE MANUFACTURING PTE. LTD.
1 WOODLANDS INDUSTRIAL PARK 2 STREET 12 SINGAPORE 737778
DIRECTION TO BE USED AS DIRECTED BY PHYSICIAN
FOR HONG KONG ONLY: PRESCRIPTION DRUG 處方藥物
IMPORTED BY
VANTIVE HEALTHCARE (THAILAND) CO., LTD. BANGKOK
FOR MALAYSIA ONLY
CONTROLLED MEDICINE JAUH DARIPADA KANAK-KANAK
PRODUCT REGISTRATION HOLDER:
VANTIVE SDN BHD
B-21-3, LEVEL 21, THE ASCENT, PARADIGM NO. 1, JALAN SS 7/26A, KELANA JAYA,
47301 PUSLANGOR, MALAYSIA.

AMBU-FLEX CONTAINER PL-146
SIN11220P MAL06021264AZ
HK-46627 BRU13021011NP
THAI REG. NO. 2C 16/51 (N)
請儲存於攝氏 30 度以下
用法：請依照醫生指示使用

"萬益特" 愛多尼爾腹膜透析液

寄售藥字第 023687 號 本藥限由醫師使用 批號及保存期限詳如包裝所示
請詳閱說明書 萬益特醫療用品股份有限公司 台北市信義區忠孝東路五段
68 號 20 樓 A1 室
Vantive, EXTRANEAL, AMBU-FLEX & PL-146 are trademarks of Vantive Health LLC or its affiliates.

圖二

FNB5178

ยาสิ้นอายุ
2500 mL

Baxter

3000 mL NOMINAL SIZE CONTAINER (APPROX 90 mL EXCESS)

DIANEAL PD-2 Peritoneal Dialysis Solution with 2.5% Dextrose

EACH 100 mL CONTAINS		2.5 g DEXTROSE HYDROUS USP	538 mg SODIUM CHLORIDE USP
		448 mg SODIUM LACTATE	25.7 mg CALCIUM CHLORIDE USP
		5.08 mg MAGNESIUM CHLORIDE USP	pH 5.2 (4.0 TO 6.5)
mEq/L	SODIUM 132	CALCIUM 3.5	MAGNESIUM 0.5
	OSMOLARITY 396 mOsmol/L (CALC)	CHLORIDE 96	LACTATE 40
STERILE	NONPYROGENIC	STORE BELOW 30°C	SEE INSERT

POTASSIUM CHLORIDE TO BE ADDED ONLY UNDER THE DIRECTION OF A PHYSICIAN

FOR INTRAPERITONEAL ADMINISTRATION ONLY

CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

BAXTER HEALTHCARE SA, SINGAPORE BRANCH

AMBU-FLEX CONTAINER PL-146

2 WOODLANDS INDUSTRIAL PARK D STREET 2 SINGAPORE 737778

(AN AFFILIATE OF BAXTER HEALTHCARE CORPORATION USA)

SINGAPORE	SIN5748P	THAILAND	2C67/45	PHILIPPINES	DR-XY13364
HONG KONG	HK-22004	VIETNAM	VN 9922-05	MALAYSIA	MAL09062139AZ

BAXTER HEALTHCARE (MALAYSIA) SDN BHD

B-21-3A, THE ASCENT, PARADIGM, 1, JLN SS7/26A, 47301 PJ SELANGOR

DIRECTIONS TO BE USED AS DIRECTED BY PHYSICIAN

用法：請依照醫生指示使用

JALHI DARIPADA KANAK-KANAK

ยาอันตราย
Controlled medicine/Ubat terkawal

"百特" PD-2 含 2.5% 葡萄糖 腹膜透析液

本藥須由醫師使用

藥學藥輸字第 022198 號

百特醫療產品股份有限公司

台北市敦化南路 2 段 95 號 28 樓

다이하일 피디 - 투액 2.5%

전문 의약품 / 분류번호 349

원료약품의 분량 : 100 ml 용

포도당알수화물(USP) 2.5g 인화나트륨(USP) 538mg 젖산나트륨(USP) 448mg 인회질염(USP) 25.7mg

인화마그네슘(USP) 5.08mg

(중나트륨으로서 303.47mg/100ml) 중칼슘으로서 702mg/100ml 중마그네슘으로서 0.61 mg/100ml

중인회질으로서 340.35mg/ml 중칼륨으로서 390.32mg/100ml

효능 및 효과 : 급 만성신부전 환자용 복막투석액

성상 / 용법 및 용량 : 청투석용 한조 (주사, 분할용)

포장단위 : 2500 ml/백 저장방법 : 밀봉을 지 남았을 보관

제조번호 / 사용기한 : 별도 표시

제조원 : Baxter Healthcare SA, Singapore Branch (싱가포르)

수입자 : (주)빅스터 서울지점 구로동 10 한국산업물산빌딩 5층 TEL 6262 7100

DIANEAL, AMBU-FLEX & PL-146 are trademarks of Baxter International Inc.



圖二

FNB5178

ยาสิ้นอายุ
2500 mL

Vantive

3000 mL NOMINAL SIZE CONTAINER (APPROX 90 mL EXCESS)

DIANEAL PD-2 Peritoneal Dialysis Solution with 2.5% Dextrose

EACH 100 mL CONTAINS		2.5 g DEXTROSE HYDROUS USP	538 mg SODIUM CHLORIDE USP
		448 mg SODIUM LACTATE	25.7 mg CALCIUM CHLORIDE USP
		5.08 mg MAGNESIUM CHLORIDE USP	pH 5.2 (4.0 TO 6.5)
mEq/L	SODIUM 132	CALCIUM 3.5	MAGNESIUM 0.5
	OSMOLARITY 396 mOsmol/L (CALC)	CHLORIDE 96	LACTATE 40
STERILE	NONPYROGENIC	STORE BELOW 30°C	SEE INSERT

POTASSIUM CHLORIDE TO BE ADDED ONLY UNDER THE DIRECTION OF A PHYSICIAN

FOR INTRAPERITONEAL ADMINISTRATION ONLY

CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

VANTIVE MANUFACTURING PTE. LTD.

AMBU-FLEX CONTAINER PL-146

2 WOODLANDS INDUSTRIAL PARK D STREET 2 SINGAPORE 737778

SINGAPORE	SIN05748P	THAILAND	2C67/45	PHILIPPINES	DR-XY13364
HONG KONG	HK-22004	VIETNAM	VN 9922-05	MALAYSIA	MAL09062139AZ

VANTIVE SDN BHD

B-21-3, LEVEL 21, THE ASCENT, PARADIGM, NO. 1, JALAN SS 7/26A, KELANA JAYA,

47301 PETALING JAYA, SELANGOR

DIRECTIONS TO BE USED AS DIRECTED BY PHYSICIAN

用法：請依照醫生指示使用

JALHI DARIPADA KANAK-KANAK

ยาอันตราย

Controlled medicine/Ubat terkawal

"萬益特" PD-2 含 2.5% 葡萄糖 腹膜透析液

本藥須由醫師使用

藥學藥輸字第 022198 號

萬益特醫療產品股份有限公司

台北市信義區忠孝東路五段 68 號 20 樓 A1 室

Vantive, DIANEAL, AMBU-FLEX & PL-146 are trademarks of Vantive Health LLC or its affiliates.

圖三

FNB4826

ยาสิ้นอายุ
5000 mL

Baxter

(APPROX 150 mL EXCESS)

DIANEAL Low Calcium (2.5 mEq/L) Peritoneal
Dialysis Solution with 1.5% Dextrose

EACH 100 mL CONTAINS 1.5 g DEXTROSE HYDROUS USP 538 mg SODIUM CHLORIDE USP
448 mg SODIUM LACTATE 18.3 mg CALCIUM CHLORIDE USP
5.08 mg MAGNESIUM CHLORIDE USP pH 5.2 (4.0 TO 6.5)

mEq/L SODIUM 132 CALCIUM 2.5 MAGNESIUM 0.5 CHLORIDE 95 LACTATE 40
OSMOLARITY 344 mOsmol/L (CALC)
STERILE NONPYROGENIC STORE BELOW 30°C SEE INSERT

POTASSIUM CHLORIDE TO BE ADDED ONLY UNDER THE DIRECTION OF A PHYSICIAN

FOR INTRAPERITONEAL ADMINISTRATION ONLY

CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY

BAXTER HEALTHCARE SA, SINGAPORE BRANCH

AMBU-FLEX CONTAINER PL-146

2 WOODLANDS INDUSTRIAL PARK D STREET 2 SINGAPORE 737778

(AN AFFILIATE OF BAXTER HEALTHCARE CORPORATION USA)

IMPORTED & MARKETING BY PT KALBE FARMA TBK, BEKASI-INDONESIA

SINGAPORE	SIN6627P	MALAYSIA	MAL09062141AZ	THAILAND	2C64/45
HONG KONG	HK-33172	PHILIPPINES	DR-XY20803	VIETNAM	VN-21178-18
BRUNEI	BRU13121172NP	INDONESIA	DKI0615600142A1		

BAXTER HEALTHCARE (MALAYSIA) SDN. BHD.

B-21-3A, THE ASCENT, PARADIGM, 1, JLN SS7/26A, 47301 PJ, SELANGOR

DIRECTIONS TO BE USED AS DIRECTED BY PHYSICIAN 用法：請依照醫生指示使用

FOR HONG KONG ONLY: PRESCRIPTION DRUG 處方藥物 Controlled medicine/Ubat terkawal

JAUHI DARIPADA KANAK-KANAK ระวังอันตราย HARUS DENGAN RESEP DOKTER

"百特"含1.5%葡萄糖低鈣(2.5mEq/L)腹膜透析液

本藥廠由醫師使用

衛署藥輸字第022297號

百特醫療用品股份有限公司

台北市敦化南路2段95號28樓

다이어널 저칼슘 피디액 1.5%

전문 의약품 / 분류번호 349

원료약품의 분량: 100 ml 중
포도당일수화물(USP) 1.5g 염화나트륨(USP) 538mg 젖산나트륨(USP) 448mg 염화칼슘(USP) 18.3mg
염화마그네슘(USP) 5.08mg
(총나트륨으로서 132mEq/L 총칼슘으로서 2.5mEq/L 총마그네슘으로서 0.5mEq/L)
총염산으로서 95mEq/L 총젖산으로서 40mEq/L)
효능 및 효과: 급 만성신부전 환자의 혈액투석액 성분 / 용법 및 용량: 침투성 참조 (주의 - 부작용)
포장단위: 5000 mL/백 저장방법: 실온에서 30일 이내 보관
제조번호 / 사용기한: 별도 표시

제조사: Baxter Healthcare SA, Singapore Branch (싱가포르)

수입자: (주)백스터 서울특별시 강남구 테헤란로 10 한국관광공사빌딩 5층 TEL 6262-7100

DIANEAL, AMBU-FLEX & PL-146 are trademarks of Baxter International Inc.



PVC

圖三

FNB4826

ยาสิ้นอายุ
5000 mL

Vantive

(APPROX 150 mL EXCESS)

DIANEAL Low Calcium (2.5 mEq/L) Peritoneal
Dialysis Solution with 1.5% Dextrose

EACH 100 mL CONTAINS 1.5 g DEXTROSE HYDROUS USP 538 mg SODIUM CHLORIDE USP
448 mg SODIUM LACTATE 18.3 mg CALCIUM CHLORIDE USP
5.08 mg MAGNESIUM CHLORIDE USP pH 5.2 (4.0 TO 6.5)

mEq/L SODIUM 132 CALCIUM 2.5 MAGNESIUM 0.5 CHLORIDE 95 LACTATE 40
OSMOLARITY 344 mOsmol/L (CALC)
STERILE NONPYROGENIC STORE BELOW 30°C SEE INSERT

POTASSIUM CHLORIDE TO BE ADDED ONLY UNDER THE DIRECTION OF A PHYSICIAN

FOR INTRAPERITONEAL ADMINISTRATION ONLY

CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY

VANTIVE MANUFACTURING PTE. LTD.

AMBU-FLEX CONTAINER PL-146

2 WOODLANDS INDUSTRIAL PARK D STREET 2 SINGAPORE 737778

IMPORTED & MARKETING BY PT KALBE FARMA TBK, BEKASI-INDONESIA

SINGAPORE	SIN06627P	MALAYSIA	MAL09062141AZ	THAILAND	2C64/45
HONG KONG	HK-33172	PHILIPPINES	DR-XY20803	VIETNAM	888110780824
BRUNEI	BRU13121172NP	INDONESIA	DKI0615600142A1		

VANTIVE SDN BHD

B-21-3, LEVEL 21, THE ASCENT, PARADIGM, NO. 1, JALAN SS 7/26A, KELANA JAYA,

47301 PETALING JAYA, SELANGOR

DIRECTIONS TO BE USED AS DIRECTED BY PHYSICIAN 用法：請依照醫生指示使用

FOR HONG KONG ONLY: PRESCRIPTION DRUG 處方藥物 Controlled medicine/Ubat terkawal

JAUHI DARIPADA KANAK-KANAK ระวังอันตราย HARUS DENGAN RESEP DOKTER

"萬益特"含1.5%葡萄糖低鈣(2.5mEq/L)腹膜透析液

本藥廠由醫師使用

衛署藥輸字第022297號

萬益特醫療用品股份有限公司

台北市信義區忠孝東路五段68號20樓A1室

Vantive, DIANEAL, AMBU-FLEX & PL-146 are trademarks of Vantive Health LLC or its affiliates.

包裝異動描述

自批號起，中文品名冠名從百特變更為萬益特

廠牌變更為 Vantive

藥商名稱及地址:萬益特醫療用品股份有限公司;台北市信義區忠孝東路五段 68 號 20 樓 A1 室

製造廠名稱:Vantive Manufacturing Pte.Led(地址不變)。

臺北市立聯合醫院藥劑部 依據中華民國 114 年 8 月 11 日 廠商來函公告，包裝更新時間點依廠商配貨及各院使用情形而異。(114-223)