



附 錄 四

本開發計畫平面圖及相關資料



平面層


5821-13



本層可停機車605輛

地下一層

5821-14




地下二層


裝卸車位(大)1輛

裝卸車位(小)19輛

本層可停機車605輛

5821-15






地下四層

本層可停車輛347輛(大178輛.小169輛)


5821-17



本層可停車輛348輛(大178輛,小170輛)

地下五層

5821-18




附 4-7

2F 樓地板面積=9905.83 m^2
 建築基地面積=1036.59 m^2
 商場樓地板面積=8869.24 m^2
 總樓地板面積=4480.14 m^2
 房舍面積=7288.72 m^2 (含走廊及門廊)
 房舍面積=4456.39 m^2 (不含走廊及門廊)
 總房舍面積=271.34 m^2

二層平面圖
 2nd Floor Plan

1:200CM
 比例
 1:200
 1:200

X2-02




三層平面圖
3rd Floor Plan

1:200CM

AS7074
DATE
2000.11.21

3F 學友樓總面積 = 10201.73 m ²	總面積 = 460.05 m ²
5F 樓上樓總面積 = 1282.55 m ²	局室面積 = 4638.51 m ² (不含走道及門廳)
商場樓上樓總面積 = 8919.18 m ²	局室面積 = 7350.67 m ² (含走道及門廳)
商場樓上樓總面積 = 4500.83 m ²	




五層平面圖
5th Floor Plan

1:200CM

圖名
圖號
日期

5F 樓地板面積=9544.08 ㎡
 裝修樓地板面積=9544.08 ㎡
 房室面積=6212.1 ㎡(含走廊門廳2068.24 ㎡)

X2-05



六層平面圖
6th Floor Plan

1:200CM

● 2019年


A97074

日期 2001.01.08


日期 2001.01.08

X2-06

6F 總樓地板面積=4469.83㎡



7F 樓層地毯面積=2147.8㎡
 房套面積=1450.2㎡



附4-13

13

12

11

10

9

8

7

6

5

1150

1080

1080

1080

1080

1080

1080

1080

1080

000

000

000

000

000

F

E


D


C

B


A


附4-15






附4-16








附4-19







附4-21














依基隆河(中山橋至成美橋段)附近地區土地使用分區管制與
都市設計章則第四條容積設置之規定
介增加之基地地面積=開放空間有效面積*容積率*1/2<容積率*20%
<基地面積*容積率*20%

係數1.0

依基隆河(中山橋至成美橋段)附近地區土地使用分區管制與
都市設計章則第四條容積設置之規定
附設透明且可遮風之頂蓋或遮蓋之公共開放空間,其高度在5公尺以上
未達10公尺者,以其面積之0.6倍視為有效面積

係數0.6

一、有效面積檢討

詳U3-22

二、聯接道路長度檢討

詳U3-23

三、配置及長寬比檢討

詳U3-24

四、無障礙出入口檢討

詳U3-25

五、座椅面檢討

詳U3-26

六、開放空間位置標示

詳U3-27

七、汽機車出入口位置檢討


詳U3-28


5.565.563.141594(90.461/360)-3.87337.8096/2=8.7563	5.565.563.141594(90.461/360)-3.87337.8096/2=8.7563
(27.7771+34.3071)*12.6676/2=399.5014	(27.7771+34.3071)*12.6676/2=399.5014
(27.7771+21.8752)*6.1206/2=171.112	(27.7771+21.8752)*6.1206/2=171.112
(42.1497+16.5543)*2.2874/2=75.9977	(42.1497+16.5543)*2.2874/2=75.9977
(73.4977+73.5141)*1.0479/2=723.67	(73.4977+73.5141)*1.0479/2=723.67
(90.0686+80.0445)*6.2733/2=502.2188	(90.0686+80.0445)*6.2733/2=502.2188
(90.0445+75.3707)*4.6021/2=357.6168	(90.0445+75.3707)*4.6021/2=357.6168
5.37084.3229/2=5.5105	5.37084.3229/2=5.5105
-59.2457+59.2452+3.141594(26.4471/360)-57.5743+27.1051/2=28.4604	-59.2457+59.2452+3.141594(26.4471/360)-57.5743+27.1051/2=28.4604
22.9865+0.9501-21.8395	22.9865+0.9501-21.8395
(13.0053+14.9894)*4.7931/2=351.9949	(13.0053+14.9894)*4.7931/2=351.9949
5.0429+0.8987/2=2.2647	5.0429+0.8987/2=2.2647
(19.1392+18.4461)*1.0435/2=57.1848	(19.1392+18.4461)*1.0435/2=57.1848
(19.1392+15.4818)*1.5007/2=27.8575	(19.1392+15.4818)*1.5007/2=27.8575
1.656+0.9501=1.0687	1.656+0.9501=1.0687
(17.0045+15.4818)*2.6987/2=42.4909	(17.0045+15.4818)*2.6987/2=42.4909
79.0776+17.0845)*4.6136/2=104.9989	79.0776+17.0845)*4.6136/2=104.9989
-135.1894+149.4514+594(16.9159/360)	-135.1894+149.4514+594(16.9159/360)
(42.3071+28.0776)*2.3152/2=785.2194	(42.3071+28.0776)*2.3152/2=785.2194
7.7232+1.005/2=2.8834	7.7232+1.005/2=2.8834
-759794.5502+3.141594(35.8132/360)-90.1604+38.265/2=179.1611	-759794.5502+3.141594(35.8132/360)-90.1604+38.265/2=179.1611
(4.3087+49.5004)*2.0989/2=2087.8035	(4.3087+49.5004)*2.0989/2=2087.8035
91.9435+14.3087)*7.2465/2=518.8464	91.9435+14.3087)*7.2465/2=518.8464
(102.4931+102.4355)*2.8853/2=289.7044	(102.4931+102.4355)*2.8853/2=289.7044
(102.4931+102.4355)*2.1719/2=273.4772	(102.4931+102.4355)*2.1719/2=273.4772
85.1574+85.1574)*1.1594(16.9159/360)-84.9506+11.863/2=1.6336	85.1574+85.1574)*1.1594(16.9159/360)-84.9506+11.863/2=1.6336
0.5327+0.024979/2=27.5867	0.5327+0.024979/2=27.5867
-6.6577.35=-48.86	-6.6577.35=-48.86
-137.27/2=71	-137.27/2=71
-177.208-2.84	-177.208-2.84
(17.8478+8.6635)*4	(17.8478+8.6635)*4
4419.6=78.4	4419.6=78.4
(19.6+16)*2.1/2=39.16	(19.6+16)*2.1/2=39.16
(8)*117.56=4	(8)*117.56=4
17.34+68.2	17.34+68.2
(C)*168.24	(C)*168.24
(9.0198+13.0198)*2/2=21.6392	(9.0198+13.0198)*2/2=21.6392
(13.0198+17.3198)*2.5/2=54.4636	(13.0198+17.3198)*2.5/2=54.4636
(7.3198+18.7688)*3.25/2=61.6	(7.3198+18.7688)*3.25/2=61.6
(17.3198+13.3198)*4/2=61.2784	(17.3198+13.3198)*4/2=61.2784
(8)*164.78=4	(8)*164.78=4
10.8756+1.231+98.2592	10.8756+1.231+98.2592
20.6387+1.9232=519.3571	20.6387+1.9232=519.3571
(16.8387+20.8387)*4/2=75.3548	(16.8387+20.8387)*4/2=75.3548
7.3695+6.6305=48.6661	7.3695+6.6305=48.6661
-0.95+3.2=-3.04	-0.95+3.2=-3.04
-1.39+55=-2.42	-1.39+55=-2.42
(5)*1721.39=4	(5)*1721.39=4
4228.6=114.4	4228.6=114.4
(7.4)*4/2=22	(7.4)*4/2=22
7416.6=106.2	7416.6=106.2
(7)*1252.64	(7)*1252.64
(4.5403+7.3957)*1.206/2=7.1974	(4.5403+7.3957)*1.206/2=7.1974
(7.3957+7.7161)*2.5399/2=30.6971	(7.3957+7.7161)*2.5399/2=30.6971
(C)*168.0945=4	(C)*168.0945=4
(59.2452+59.2452)-55.5453+55.5453(3.141594(26.4471/360)-98.03)*4	(59.2452+59.2452)-55.5453+55.5453(3.141594(26.4471/360)-98.03)*4
(7)*168.03=4	(7)*168.03=4

開放空間面積 (A)+(B)+(C)+(D)+(E)+(F)+(G)+0.8(2)
=8186.58+117.56+69.2+464.79+727.39+252.6+263.72+0.6*98.03
=10140.7[㎡]

依據建(市)中山路至成泰路段(附註)上地權分區圖與都市計畫圖核對開發面積之規定
本市增加之總樓地板面積=前次已有之總樓地板面積*20%
∴10140.7*300%*1/2=15211.05[㎡]>25234.65*300%*20%=15140.79[㎡]
∴本市增加之總樓地板面積=15140.79[㎡] 算小數 OK!


集中配置 8186.58/10162.6=80.56% > 60% OK!






A> 基地鄰接道路佔用長比率檢討:
基地鄰接道路長度
= 152.73 + 148.33 + 156.4 + 2*3.14*6.3*86/360 + 2*3.14*6.28*88/360
= 476.552M
基地周長
= 158.62 + 152.73 + 148.33 + 156.4 + 2*3.14*6.3*86/360 + 2*3.14*6.28*88/360
= 635.17M
基地鄰接道路佔用長比率
= 476.55/635.17
= 75.03% > 1/3 OK!

B> 開放空間鄰接道路檢討:
基地鄰接道路長度 = 476.552M
公共開放空間鄰接道路長度
83.19 + 22.18 + 74.49 + 19.64 + 17.74 + 9.82 + 18.79 + 34.05 + 49.24 + 12.44
= 341.58M
公共開放空間鄰接道路長度佔基地鄰接道路長度比率
= 341.58/476.55
71.68% > 1/3 OK!




A>廣場式開放空間
最小面積限制
25*20=500 m² ≥ 500 m² OK!
配置長度
25/20=1.25<3 OK!
植覆率(喬木)
500/36=14株 實植14株 OK!
(12*16+2*36)/500=52.8%>50% OK!

B>帶狀式開放空間
4*15=60 m² ≥ 50 m² OK!
行道樹間距 6M 5.6M < 8M OK!



A> 開放空間面積連路系障礙出入空間長度檢討:

(1) 基地連接建築長度=158.87+160.41+158.09=477.37M
連接道路系障礙出入空間長度
=25.35+72.53+23.88+4.79+34.05=160.6M
無障礙出入空間長度檢討:
160.6>477.37/3=159.12M OK!



A>座椅面積檢討:

座椅長度:

(1) $10.36 + 45.07 + 2 \times 3.14 \times 19 \times 86 / 360 + 7.95 + 7.38 = 99.26M$
(2) $2.22 + 24.27 + 9.39 + 41.21 + 2 \times 3.14 \times 19 \times 32 / 360 + 10.28 + 12.27 = 110.25M$

座椅數量 $(1.8 \times 0.5 = 0.9 m^2)$


$6 + 10 + 20 + 12 + 15 + 6 + 10 + 13 + 13 = 105$

座椅面積:

$(99.26 + 110.25) \times 0.6 = 125.71 m^2$
 $105 \times 0.9 = 94.5 m^2$

座椅佔開放空間面積比:


$(125.71 + 94.5) / 10162.6 = 2.17\%$





開放空間標示

U3-27


開放空間
標示位置圖



附4-36



平面示意圖 2



立面示意圖 4




航高管制檢討：

本新建工程依交通部民航局場務士(86)字第一二六-一七號文指示：
申請基地位於台北「航空站北側轉運面範圍內，依禁限建辦法第四條第三款：
(台北航空站之轉運面為自跑道中心線兩側各150公尺起延伸至2,100公尺
處所構成之斜面，其高度比為一比七)辦理



註：本新建工程依民航局安全標準及航空站、飛行場、助航設備四面禁止、
限制建築辦法檢討辦理



航高檢討計算式